



HIGH OUTPUT LIGHTING



ADAPTS. PERFORMS. SURVIVES.



All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes. © 2022 Milwaukee Electric Tool Corporation All trademarks are owned by Techtronic Cordless GP unless otherwise stated.

MILWAUKEE TOOL

Distributed by:

Milwaukee Asia Office

29/F, Tower 2, Kowloon Commerce Centre, 51 Kwai Cheong Road, Kwai Chung, Hong Kong

Tel: +852-2492-2181 • Fax: +852-2490-4778

Milwaukee Electric Tool Corporation

BROOKFIELD, WI 53005

Tel: +1 (262) 781-3600 • Fax: +1 (262) 790-6333










LIGHTING APPLICATION TYPES


PERSONAL LIGHTING



TASK LIGHTING



SPECIALTY LIGHTING








AREA LIGHTING



HIGH OUTPUT LIGHTING
ADAPTS. PERFORMS. SURVIVES.

LIGHTING	BATTERY		BEST LIGHTING	WHERE TO			SPECIFICATIONS		Lic	GHTING APPLICATION	NS	USAGE EXAMPLES
APPLICATIONS	PLATFORM	FEATURES/VERSATILITY	CHOICE FOR YOU	FIND IN CATALOGUE	MAX LUMENS	MODES	ADDITIONAL FEATURES	MAX RUNTIME	PERSONAL	HANDHELD TASK	AREA	USABLE BY ALL COMMON TRADES
		USB flashlight that is extremely durable, waterproof, and has the capability of spot lighting or flood lighting	L4 MLED	Page 6	700	High, Low, Strobe	155m Spot Light, Spot-Flood Sliding Beam Adjustment, Removable Metal Clip	16 Hours with REDLITHIUM USB Battery				
		USB compact flashlight gives users an all-in-one solution for their tasks while keeping the size of the flashlight pocket-portable.	L4 FMLED	Page 6	800	High, Low	150m Beam Length for Seeing and Inspecting at a Distance	10 Hours with REDLITHIUM USB Battery				P.S.
		USB twist focus flashlight gives users maximum customizability and accuracy in beam control for any application	L4 TMLED	page 7	1100	High, Medium, Low	Precision Twist Focusing for up to 175m Beam Distance	10 Hours with REDLITHIUM USB Battery				
		USB pivoting work light with wide flood beam for exceptional task lighting	L4 PWL	Page 8	500	Spot Beam, Flood High, Flood Low	155M Spot Beam for Long Range Visibility, Pivoting Head and Magnetic Base	10 Hours with REDLITHIUM USB Battery				
		USB folding flood light that is extremely durable waterproof, dust resistant and has a magnet and pivoting head	L4 FFL	Page 8	550	High, Medium, Light	Magnetic Carabiner and Pivoting Head	11.5 Hours with REDLITHIUM USB Battery				
	REDLITHIUM USB	USB flood light that is compact and durable and has a dual magnet clip	L4 FL	Page 8	445	High, Low	Dual Magnet Clip	11 Hours with REDLITHIUM USB Battery				
		USB Hard Hat Headlamp deliver high output and all day run time	L4 HL2	Page 9	600	Hybrid, Flood High, Flood Flow, Spot High, Spot Low	Vertical 180° degrees	20 Hours with Redlithium™ USB Battery				
		USB head lamp optimized for use on hard hats with many different light output modes	L4 HL	Page 9	475	Spot, Flood High, Flood Medium, Flood Low, Spot/Flood	7-Position Tilting Head, Includes Hard Hat Clips and Rubber Grip for Hard Hat Attachment	31 Hours with REDLITHIUM USB Battery				Allan
DEDOGUAL		USB low-profile light head lamp that maximize users visibility	L4 HLRP	Page 9	600	High, Medium, Light	Rear Battery Position and Crown Strap For Better Balance and Hold	25 Hours with REDLITHIUM USB Battery				
PERSONAL		USB Hi-Vis hard hat light	L4 HLVIS	Page 9	600	High, Medium, Light	Allow Users Visible from 360° and Visible Up-To 400m, include Hi-Visibility Reflective Strap	20 Hours with REDLITHIUM USB Battery				
		AAA battery powered pen light that is extremely durable and waterproof	IPL-LED	Page 10	100	High	43m Spot Light, Protective Rubber Bite Zone, Removable Metal Clip	3 Hours with 2 AAA Batteries				
	Alkaline	AAA battery powered head lamp with multiple light output modes	HL-LED	Page 10	300	High, Medium, Low	7-Position Tilting Head, Includes Sweat Absorbing Microfiber Strap and Hard Hat Clips for Hard Hat Attachment	31 Hours with 3 AAA Batteries				
	AAA	AAA battery powered head lamp with flood and spot beam options	HL-SF	Page 10	450	High, Medium, Light	Sweat Absorbing Micro-Fiber Strap For Comfort for Bare Head User and provide 7-Position Adjustment	26 Hours with 3 AAA Batteries				
		AAA battery powered head lamp w/ flood & spot beam options that is extremely durable & waterproof	ISHL-LED	Page 10	310	High, Medium, Low	7-Position Tilling Head, Includes Three Attachment Methods for Hard Hat Use, Bare Head Use or Strapless Option	40 Hours with 3 AAA Batteries				
		USB Rechargeable penlight that is extremely compact and portable	IR PL250	Page 11	250	High, Low	Integrated Laser Pointer, Removeable Clip, Rubber Bite Zone	8 Hours with Internal Lithium Battery				
	多	USB Rechargeable magnetic headlamp with a detachable light head for in hand task lighting	IR HL450	Page 11	450	Flood High, Flood Low, Spot High, Spot Low, Spot/Flood	Detachable Magnetic Light Head	14 Hours with Internal Lithium Battery				
	BUILT-IN BATTERY	Extremely high performance USB Rechargeable flashlight	IR FL500	Page 11	500	High, Medium, Low	Bulls-Eye Beam, Reversible and Removeable Clip, Magnetic Base	40 Hours with Internal Lithium Battery				
		Traditional work light	M12 TLED	Page 12	120	High	Integrated Magnet, Rotating Head	15 Hours with M12 REDLITHIUM-ION 4.0 Battery				
	M12	Compact stick light with a hook for hanging	M12 SL	Page 12	220	High	Stainless Steel Hook	11 Hours with M12 REDLITHIUM-ION 4.0 Battery				
		Extremely durable flashlight with spot light and flood light capability	M12 MLED	Page 12	800	High, Low, Strobe	340m Spot Light, Spot-Flood Sliding Beam Adjustment	7 Hours with M12 REDLITHIUM-ION 4.0 Battery				
HANDHELD		Handheld spot light with beam distance up to 640m	M12 SLED	Page 13	750	High, Low, Strobe	640m Spot Light	8 Hours with M12 REDLITHIUM-ION 4.0 Battery			WANAMA	
		Traditional work light	M18 TLED	Page 13	120	High	Integrated Hook, Rotating Head	29 Hours with M18 REDLITHIUM-ION 5.0 Battery			AWARA DA	
	M18	Versatile light for spot lighting or flood lighting that can be used handheld or stationary	M18 SLED	Page 13	1250	Spot, Flood, Spot/Flood, Strobe	650m Spot Light, 198° Rotating Head, Keyhole for Hanging, Strap Included	7 Hours with M18 REDLITHIUM-ION 5.0 Battery				
	M12	Compact lantern light with integrated USB charger	M12 LL	Page 16	400	High, Medium, Low, Strobe	180° - 360° Adjustable Beam, 2 Stainless Steel Hooks, Integrated USB Charger	67 Hours with M12 REDLITHIUM-ION 4.0 Battery			35	
TASK	M18	Lantern light with integrated USB charger	M18 LL	Page 16	700	High, Medium, Low, Strobe	180° - 360° Adjustable Beam, 2 Stainless Steel Hooks, Integrated USB Charger	100 Hours with M18 REDLITHIUM-ION 5.0 Battery				
		Versatile small area light with many hanging features, a rotating head, and the ability to charge electronic devices	M12 PAL	Page 17	700	High, Low	110° pivoting head, 2.1Ah USB charging, rear magnet and keyhole for hanging	24 hours with M12 REDLITHIUM-ION 4.0 Battery				
	M12	Versatile small area light with many hanging features	M12 AL	Page 17	1000	High, Medium, Low	Integrated Magnets, Spring-Loaded Clamp, Keyhole for Hanging	15 Hours with M12 REDLITHIUM-ION 4.0 Battery				
		Extremely versatile stand light with adjustable height up to 1.73m	M12 SAL	Page 21	1400	High, Low	Light Head Rotates 210° and Pivots 270° for Light In Any Direction	10 Hours with M18 REDLITHIUM-ION 6.0 Battery				
		Versatile small area light with many hanging features and a fully rotating head	M18 PAL	Page 19	1500	High, Medium, Low	Fully Rotating Head, Integrated Magnets, Spring-Loaded Clamp	20 Hours with M18 REDLITHIUM-ION 5.0 Battery				The West of the Control of the Contr
		Versatile small area light with hanging features	M18 TAL	Page 19	2200	High, Medium, Low	Three Area and Task Modes for Optimal Brightness and Run-Time	24 Hours with M18 REDLITHIUM-ION 5.0 Battery				
AREA		Durable mid-sized area light with handle and hanging features	M18 AL	Page 20	1500	High, Low	Keyhole for Hanging, EMT Hanger	10 Hours with M18 REDLITHIUM-ION 5.0 Battery				
	M18	Extremely high performance area light with pivoting head	M18 HOAL	Page 20	4000	High, Medium, Low	120° pivoting light head, integrated keyholes for overhead mounting	12 Hours with M18 REDLITHIUM-ION 5.0 Battery				
		PACKOUT compatible high performance area light with 3 individual rotating light heads	M18 POALC	Page 18	3000	High, Medium, Low	PACKOUT compatible, Storage Compartment, 2.1Amp USB Out, AC Input with Integrated M18 Charging	31 Hours with M18 REDLITHIUM-ION 5.0 Battery				
		Versatile and durable light designed for most automotive applications	M18 HOSALC	Page 22	6000	High, Medium, Low	Multi-Directional Light Heads, 2.1Amp Device Charging, AC/DC & M18 Battery Charger, Ergonomic Carry Rail, 5 Second Setup	10 Hours with M18 REDLITHIUM-ION 8.0Ah Battery				
		Extremely versatile stand light with adjustable height up to 2.2m	M18 SAL	Page 22	2000	High, Medium, Low	Adjustable Height Up to 2.2m, Rotating Head	10 Hours with M18 REDLITHIUM-ION 5.0 Battery				
		Extremely versatile stand light with adjustable height up to 1.65m and waterproof resistance	M18 ONERSAL	Page 22	5400	High, Medium, Low	Collapsible to only 55 cm for easy storage and transportation	26 Hours with M18 REDLITHIUM-ION 2 x 9.0 Battery				
		Redlithium™ USB Neck Light for Hands free task Lighting, Full Illumination	L4 NL400	Page 23	400	High/low	Vertical -130 degrees	8 hours with Redlithium™ USB Battery				
	REDLITHIUM USB	USB stick light with magnet	L4 SL NEW	Page 23	550	High/low/ spot high/ spot low	220° Vertical rotation	5 hours with REDLITHIUM USB battery			Park	
CDECIALTY		Paint and detailing color match light	M12 CML	Page 24	1000	High, Medium, Low	98+ CRI to replicate natural sunlight	14 Hours with M12 REDLITHIUM-ION 4.0 Battery				
SPECIALTY	M12	Versatile and durable light designed for most automotive applications	M12 UCL	Page 24	1200	High, Medium, Low	Magnetic base, magnetic storage tray, 300° Horizontal and 180° Vertical movement	15 hours with M12 4.0Ah battery				
	,	Durable light used under the hood of cars to illuminate the engine; can also be taken off the hooks for use as a versatile task light	M12 UHL	Page 25	1350	High, Low	Mounting Hooks for Car Hoods, Stainless Steel Hook for Hanging, Rotating and Sliding Light Head	8 Hours with M12 REDLITHIUM-ION 4.0 Battery				
	M18	Weather-proof light that can be clamped to equipment (optimized for utility buckets) or stand on its own; has two independently operated light heads	M18 UBL	Page 25	2500	Spot, Flood, Spot/Flood	450m Spot Light, Spring-Loaded Bucket Clamp, 2 Independently Operated Rotating Heads	6 Hours with M18 REDLITHIUM-ION 9.0 Battery			14.06	
								· 		PTIMAL USE	OCCASIO	NAL USE NOT RECOMMENDED

LIGHTING SOLUTION
GUIDE



Use The Included Table To Help You Find The BEST LIGHTING SOLUTION For You

CHOOSE THE LIGHTING APPLICATION (Personal, Handheld, Task, Area, or Specialty)

Page 3-4 Page 4

BATTERY PLATFORM M12 M18 REPLITHIUM

CHOOSE THE

Page 3-4

→ CHOOSE YOUR **J** PREFERRED FEATURE

THIS SHOULD POINT YOU **TOWARDS THE BEST LIGHTING SOLUTION FOR YOUR NEEDS**

HIGH OUTPUT LIGHTING

ADAPTS. PERFORMS. SURVIVES.

HANDHELD

TASK


AREA

L4B2

SPECIALTY

Milwaukee delivers the industry's first line of trade focused, high performance personal lights designed to ADAPT, PERFORM AND SURVIVE. Built to withstand the toughest conditions on and off the jobsite, Milwaukee lights combine the cordless battery and LED technology delivering convenient, portable solutions that increase productivity and safety.

PERSONAL





ACCESSORIES REDLITHIUM USB

REDLITHIUM USB

REDLITHIUM USB

LITHIUM'

■ External Charger for REDLITHIUM USB Battery

CHARGE BATTERY VIA MICRO USB CORD In Product



REDLITHIUM USB CHARGER AND BATTERY STARTER KIT



REDLITHIUM USB COMPACT FLASHLIGHT

L4 MLED

EXTREME OUTPUT. BUILT FOR THE TOUGHEST CONDITIONS.

ADAPTS.

- Spot Flood Sliding Beam Adjustment
- Removable Metal Clip
- 3 Light Output Modes

PERFORMS.

- 700 Lumens of High Definition Output
- 155m Beam Distance in Spot Mode

SURVIVES.

- 6000 Series Aluminum, Type II Anodized
- Impact and Chemical Resistant
- IP67 Rated: Waterproof and Dustproof

RUN-TIME



DLITHIUM

REDLITHIUM USB 800L COMPACT FLASHLIGHT

L4 FMLED

POCKET PORTABLE, UNCOMPROMISED POWER

ADAPTS.

- Compact and Lightweight Design for Easy Carry and Storage In Pockets or Tool Organizers
- Bulls-Eye Beam Pattern Optimized for Distance appropriate to the property of the **Up-Close Illumination**

PERFORMS.

- 800 Lumens of TRUEVIEW High Definition Flood Out
- Multiple Modes To Optimize Brightness and Runtime
- 150m Beam Distance for Seeing at a Distance

SURVIVES.

- IP67 Rated: Waterproof and Dustproof
- 4m Drop Rating
- Chemical Resistant

RUN-TIME HIGH 800 lumens 100 lumens

REDLITHIUM USB 1100L TWIST FOCUS FLASHLIGHT

L4 TMLED

1,100 LUMENS, PRECISE BEAM CONTROL

ADAPTS.

- Precision Twist Focusing for Full Control of the Beam Size and Intensity
- Removable Clip for Optimized Attachment

PERFORMS.

- 1100 Lumens of TRUEVIEW High Definition Output
- 175m Beam Distance for Seeing at a Distance
- Multiple Modes To Optimize Brightness and Runtime

SURVIVES.

- IP67 Rated: Waterproof and Dustproof
- 4m Drop Rating
- Chemical Resistant







PERSONAL

HANDHELD

TASK

AREA

SPECIALTY

REDLITHIUM USB PIVOTING WORK LIGHT

BEST-IN-CLASS OUTPUT IN ANY DIRECTION.

ADAPTS.

- Light Head Pivots 110°
- Magnetic Base for Hands-Free Use
- Clip for Right Angle Use With A Vest

PERFORMS.

- 500 Lumens of High Definition Output
- 155M Spot Beam for Long Range Visibility
- Wide Flood Beam for Exceptional Task Lighting

SURVIVES.

2M Impact Rated and Chemical Resistant





11 75 hr

RUN-TIME					
SPOT BEAM	FLOOD HIGH	FLOOD LOW			
500 lumens	400 lumens	100 lumens			

3 5 hr

LITHIUM USB

REDLITHIUM USB FOLDING FLOOD LIGHT

EASY TRANSPORT FROM TASK-TO-TASK.

ADAPTS.

- Light Head Pivots 210°
- Magnetic Base for Hands-Free Use
- Clip and Carry with Built-In Carabiner

PERFORMS.

■ 550 Lumens of High Definition Output

SURVIVES.

■ 2m Impact Rated and Chemical Resistant





RUN-TIME	

3 5 hr

HIGH	MEDIUM	LOW		
550 lumens	250 lumens	100 lumens		
2.5 hr	6 hr	13 25 hr		



REDLITHIUM USB PERSONAL FLOOD LIGHT

STICK IT. CLIP IT. CARRY IT.

ADAPTS.

- Dual Magnet Clip for Hanging in any Orientation
- Angled Body for Resting and Directing Light
- 2 Light Output Modes


PERFORMS.

445 Lumens of High Definition Output

SURVIVES.

8

Impact and Chemical Resistant



RUN-TIME

HIGH	LOW
445 lumens	100 lumens
2.5 hr	12.5 hr



REDLITHIUM USB HARD HAT HEADLAMP

HIGH OUTPUT. ALL DAY RUN TIME.

ADAPTS.

- Compatible With All Hardhat Sizes And Shapes
- Removeable Light Design Makes For Easy Charging & Quick Task Lighting
- Compatible with the Redlithium USB Battery
- Includes 4 Hard Hat Clips

PERFORMS.

- 600 Lumens Of TRUEVIEW High-definition Output
- 5 Output Modes To Enhance Brightness And Runtime

SURVIVES.

- IP54 : Waterproof & Dustproof
- Chemical Resistant
- 1.8M Drop Rating





NEW

RUN-TIME

HYBRID	FLOOD HIGH	FLOOD LOW	SPOT HIGH	SPOT LOW
600 lumens	400 lumens	100 lumens	400 lumens	100 lumen
5 hr	9 hr	20 hr	9 hr	20 hr



REDLITHIUM USB HARD HAT LAMP

HIGH OUTPUT. SECURE ATTACHMENT.

ADAPTS.

- Clips and Rubber Grip Included for Hard Hat Attachment
- 7 Position Tilting Head
- 5 Light Output Modes: Spot, Flood Low, Flood Medium, Flood High, Spot/Flood

PERFORMS.

■ 475 Lumens of High Definition Output

SURVIVES.

■ Impact and Chemical Resistant





RUN-TIME

SPOT/FLOOD	FLOOD HIGH/MED/LOW	SPOT HIGH
475 lumens	300 / 150 / 25 lumens	300 lumens
3 hr	5 hr / 10 hr / 33 hr	4.5 hr



DLITHIUM

REDLITHIUM USB LOW-PROFILE HEADLAMP

THIN. 25MM LIGHT HEAD W/ WIDE FLOOD BEAM.

ADAPTS.

- 25mm Low-Profile Light Head Maximizes Users Visibility
- Rear Battery Position and Crown Strap For Better Balance and Hold
- 7 Position Tilting Head

PERFORMS.

■ 600 Lumens of High Definition Flood Output

SURVIVES.

- IP54 Rated: Waterproof and Dustproof
- Strap Cover Shields Wire From Snagging

REDLITHIUM USB HI-VIS HARD HAT LAMP

VISIBLE IN EVERY DIRECTION.

ADAPTS.

L4 HLVIS

- Hi-Vis Light Band
 - Makes Users Visible From 360°
 - Visible up to 400m
- Fits All Hard Hat Types and Sizes

PERFORMS.

- 600 Lumens of TRUEVIEW High Definition Output
- 125m Beam Distance in Spot and Wide Flood Mode

SURVIVES.

■ Strap Cover Shields Wire From Snagging



RUN-TIME

3 hr





SPOT/FLOOD	FLOOD HIGH/MED/ LOW	SPOT HIGH			
600 lumens	400 / 150 / 25 lumens	400 lumens			
3.25 hr	6 hr / 11.50 hr / 34 hr	6 hr			

350 lumens

7.5 hr

125 lumens

13 hr

25 Lumens

28 hr





HANDHELD

RUN-TIME

RUN-TIME

300 lumens

4 hr

100 lumens

3 hr

TASK

1 2

43m beam

25 lumens

SPECIALTY

ALKALINE INSPECTION PEN LIGHT

BRIGHTER, CLEARER, EASIER INSPECTIONS

ADAPTS.

- Removable Metal Clip
- Momentary On/Off Button
- Protective Rubber Bite Zone

PERFORMS.

- 100 Lumens of High Definition Output
- 43m Beam Distance

SURVIVES.

- 6000 Series Aluminum, Type II Anodized
- Impact and Chemical Resistant
- IP67 Rated: Waterproof and Dustproof

ALKALINE SLIM HEADLAMP

MORE COMPACT. ALL DAY COMFORT.

ADAPTS.

- Washable, Sweat-Absorbing Microfiber Strap
- Clips Included for Hard Hat Attachment
- 7 Position Tilting Head
- 3 Light Output Modes

PERFORMS.

■ 300 Lumens of High Definition Output

SURVIVES.

■ Impact and Chemical Resistant

ALKALINE SPOT/FLOOD HEADLAMP

VERSATILE BEAM OPTIONS. COMPACT SIZE.

ADAPTS.

- Sweat Absorbing Micro-Fiber Strap For Comfort for Bare Head User.
- 7-Position Adjustment
- Multiple Modes To Optimize Brightness and Runtime

PERFORMS.

- 450 Lumens of TRUEVIEW High Definition Output
- 100m Beam Distance in Spot Mode

SURVIVES.

2m Drop Rated



NON-TIME					
SPOT/ FLOOD	FLOOD HIGH/MED/ LOW	SPOT HIGH			
450 lumens	350/150/25 lumens	350 lumens			
2 hr	4/10/26 hr	4 hr			

150 lumens

8.5 hr



INTRINSICALLY SAFE ZONE 0,1,2 SPOT/FLOOD HEADLAMP

ISHL-LED

GREATER VISIBILTIY. HIGHER OUTPUT. NO COMPROMISE.

ADAPTS.

- On-Strap Intrinsically Safe Callout
- Three Attachment Methods (Rubber Band Strap, Nylon Strap, Dual Lock
- Compact, Lightweight Design
- 7 Position Head Tilt

PERFORMS.

- 310 Lumens of TRUEVIEW High Definition Output
- 100M Beam Distance
- Up to 40 Hours of Runtime
- 5 Output Modes

SURVIVES.

- Intrinsically Safe Zone 0,1,2 Spot/Flood Headlamp
- P64 Ingress Protected
- Dust Proof and Water Resistant
- 69KV Rating

10



RUN-TIME

SPOT/ FLOOD	FLOOD HIGH/MED/ LOW	SPOT HIGH
310 lumens	235/155/25 lumens	155 lumens
4 hr	6/10/40 hr	8 hr



INTERNAL RECHARGEABLE PENLIGHT 250 LUMENS

IR PI 250

FASTER, MORE ACCURATE INSPECTIONS.

ADAPTS.

AREA

- Laser Pointer for Faster Jobsite Communication
- Protective Rubber Bite Zone for Hands-Free Use
- Removable Clip for Optimized Attachment

PERFORMS.

- 250 Lumens of TRUEVIEW High-Definition Output
- 2 Modes to Manage Output and Runtime

SURVIVES.

- IP67: Waterproof & Dustproof
- 2M Drop Rating
- Chemical Resistant









INTERNAL RECHARGEABLE HEADLAMP 450 LUMENS

DETACHABLE, **MAGNETIC TASK LIGHT.**

ADAPTS.

- Detachable for Task Lighting
- Magnet Light Head for Mounting
- Tilting for Directing Light

PERFORMS.

- 450 Lumens of TRUEVIEW High-Definition Output
- Multiple Modes to Manage Output and Runtime

SURVIVES.

- IP54: Water & Dust Protected
- 2M Drop Rating









RUN-TIME

SPOT/FLOOD	FLOOD HIGH/LOW	SPOT HIGH/LO
450 lumens	250/50 lumens	250/100 lumen
2.5 hr	4/14 hr	4/8 hr



INTERNAL RECHARGEABLE FLASHLIGHT 500 LUMENS

EVERY DAY CARRY. WORK HANDS FREE.

ADAPTS.

- Magnetic Attachment for Hands-Free Use and Storage
- Bulls-Eye Beam Patters for Optimized Distance and Close-Up Illumination
- Reversable/Removable Clip for Optimized Attachment

PERFORMS.

- 500 Lumens of TRUEVIEW High-Definition Output
- 3 Modes to Manage Output and Runtime

SURVIVES.


- IP67: Waterproof & Dustproof 4M Drop Rating
- Chemical Resistant

RUN-TIME

HIGH	MED	LOW
500 lumens	100 lumens	10 lumens
3.5 hr	16 hr	40 hr



POWERED BY





PERSONAL

HANDHELD

TASK

AREA

SPECIALTY

SPOT FARTHER, LASTS LONGER.

SPOT FURTHER, FLOOD BRIGHTER.

M₁₂ LED TORCH

M12 TLED

OUTSHINE, OUTLAST.

ADAPTS.

- 90° Rotating Head for Flexible, Focused Illumination
- Integrated Magnet: Leaves Both Hands Free for Work Anywhere on the Jobsite

PERFORMS.

Runs Longer on a Single Charge

SURVIVES.

Impact Resistant



M18 LED TORCH

M18 TLED

OUTSHINE, OUTLAST.

ADAPTS.

- 135° Rotating Head for Flexible, Focused Illumination
- Integrated Hook for Hanging

PERFORMS.

Runs Longer

M12 SLED

ADAPTS.

SURVIVES.

Impact Resistant



M12 LED METAL FLASHLIGHT

M12 MLED

REDEFINES VERSATILITY, BRIGHTNESS & DURABILITY.

ADAPTS.

- Spot Flood Sliding Beam Adjustment
- 3 Light Output Modes

PERFORMS.

- 800 Lumens of High Definition Output
- 340m Beam Distance in Spot Mode

SURVIVES.

- 6000 Series Aluminum, Type II Anodized
- Impact Resistant
- IP54 Rated: Waterproof and Dustproof









220



M12

750 Lumens of High Definition Output

M18 LED SEARCH LIGHT

M12 LED SPOT LIGHT

3 Light Output Modes for Distance,

■ 640m Beam Distance

Clarity and Safety

 Dual Function Trigger for Momentary or Lock-On Use

SURVIVES.

PERFORMS.

Impact Resistant



750 4hr **8**hr







M12 LED STICK LIGHT

M12 SL

COMBINATION OF BRIGHTNESS AND COVERAGE.

ADAPTS.

Multi-Position Hook

PERFORMS.

220 Lumens with Even Beam Pattern

SURVIVES.

Impact and Chemical Resistant Lens



ADAPTS.

M18 SLED

- 198° Rotating Head
- 4 Light Output Modes: Spot/Flood, Flood, Spot, Strobe

PERFORMS.

- 1250 Lumens of High Definition Output
- Over 650m Beam Distance

SURVIVES.

- Impact Resistant
- IP54 Rated: Waterproof and Dustproof













13

ADAPTS.

Superior Portability and **Versatility**

High Output Lighting offers professionals the ability to bring light directly to their work as well as control beam intensity and direction for greater productivity on the jobsite.



PERFORMS.

Unmatched Brightness, Clarity, and Run-Time

Through the use of high quality LEDs, Milwaukee designed optics, and REDLITHIUM Batteries, High Output Lighting lights shine brighter and last longer.

SURVIVES.

Outlast the Toughest Conditions

Reinforced, impact resistant housings and lenses stand up to the challenges of industrial use, and superior temperature management protects LEDs throughout their life.






TRUEVEW HIGH OUTPUT LIGHTING

All of Milwaukee's Lighting Solutions Include TRUEVIEW Technology

Milwaukee uses the highest quality LEDs and optics to provide TRUEVIEW Lighting that gives users the brightness and clarity without distorting colors. The lights keep a neutral color temperature to provide the accurate and clear lighting environment for any application.





Halogen LightYellow Color



- Natural Color
- True Representation of Color & Detail



- Blue TintDistorts Color &
- Detail

NEUTRAL



HANDHELD

TASK

M18 LL

M12 M18

AREA

SPECIALTY

M12 AND M18 LED LANTERN LIGHT

M12 LL/M18 LL

ONLY LANTERNS THAT ADJUST TO FOCUS

ADAPTS.

- 180° 360° Adjustable Beam
- 2.1A USB Charger for Cell Phones and Other Electronic Devices
- 2 Integrated Stainless Steel Hooks
- 4 Light Output Modes


PERFORMS.

- 400 / 700 Lumens of High Definition Output
- Extreme Runtime


SURVIVES.

■ Impact Resistant: Withstands 1.8m Drops

M12 LL











M12 LL

M12 PIVOTING AREA LIGHT W/ USB CHARGING

M12 PAL

TAKE ANYWHERE, HANG EVERYWHERE

ADAPTS.

- 110° Pivoting Light Head for Directional Lighting
- High Strength Magnetic Mounting in Service Environments
- Compact Size for Handheld Inspection Lighting
- Integrated Keyhole for Hanging Overhead

PERFORMS.

- 700 Lumens of TRUEVIEW High Definition Output
- 2.1 AMP USB Output for Device Charging

SURVIVES.

- Impact Resistance: Withstands 2.7m Drops
- IP54 Rated: Waterproof and Dustproof















M12 LED AREA LIGHT

M12 AL

TAKE ANYWHERE, HANG EVERYWHERE

ADAPTS.

- Multiple Hanging Features: 2 Powerful Magnets,
 Spring Loaded Clamp, Key Hole Hanger, Wire Hanger
- 3 Light Output Modes

PERFORMS.

■ 1,000 Lumens, Replaces 250W Halogen

SURVIVES.

- Impact Resistant: Withstands 2.7m Drops
- IP54 Rated: Waterproof and Dustproof









HANDHELD

TASK

AREA

SPECIALTY

M18 PACKOUT LIGHT/CHARGER

M18 POALC

ALL DAY MULTI-DIRECTIONAL LIGHTING

ADAPTS.

- Full Compatibility within the PACKOUT Modular Storage System.
- Dual Power w/ Integrated M18[™] Charging
- 2.1AMP USB Charging for Small Devices
- Additional Storage for Small Items

PERFORMS.

- 3,000 Lumens of TRUEVIEW High Definition Output
- Three Individual Light Heads for Task or Area Lighting
- Nine Total Output Modes to Manage Output or Run-Time
- Up to 31 hours of Run-Time on M18 5.0Ah battery.

SURVIVES.

- Drop Resistant
- Designed for Outdoor Use
- Protected Against Dust & Splashing Water on DC Mode











REDLITHIUM—ION 5.0Ah Extended Capacity Battery Pack

M18

M18 LED PIVOTING AREA LIGHT

M18 PAL

MOST VERSATILE FLOOD LIGHT FOR EVERY TASK

ADAPTS.


- Folding and Rotating Light Head
- Multiple Hanging Features: Extremely Powerful Magnets, Spring-Loaded Clamp, Handle
- 3 Light Output Modes

PERFORMS.

■ 1,500 Lumens of High Definition Output

SURVIVES.

- Impact and Chemical Resistant: Withstands 2.7m Drops
- IP54 Rated: Waterproof and Dustproof









M18

M18 TASK/AREA LIGHT

M18 TAL

TASK AND AREA MODES, **LESS TO CARRY**

ADAPTS.

- Compact Design Allowing For One-Handed Transport On The Jobsite, With A Built-In Carry Handle
- Equipped With A 11 Cm Self-Centering Metal Hook, Users Can Hang The Light Overhead On Studs And Piping
- 2 Light Output Modes

PERFORMS.

- 2,200 Lumens of Area and Overhead Lighting
- 1,000 Lumens of Flood mode

SURVIVES.

High Impact Polycarbonate Lens: Impact and Chemical Resistants







M18



HANDHELD

TASK

AREA

SPECIALTY

M18 LED AREA LIGHT

M18 AL

UNMATCHED BRIGHTNESS & DURABILITY

ADAPTS.

- Multiple Hanging Features: EMT Hanger, Key Hole Hanger, Cross Bar Hanger, Handle Hanger
- 2 Light Output Modes

PERFORMS.

■ 1,500 Lumens, Brighter than 250W Halogen

SURVIVES.

■ Impact Resistant: Withstands 3.5m Drops






















HANG



M18 HIGH PERFORMANCE AREA LIGHT

M18 HOAL

EXCEPTIONAL PERFORAMNCE, SIZE AND WEIGHT

ADAPTS.

- Compatible with AC power cord for all-day operation
- 120° light head for upwards and downwards lighting
- Integrated keyhole marking for hanging overhead

PERFORMS.

- 4,000 lumens of TRUEVIEW high-definition output
- Up to 12 hours of runtime with M18 5.0Ah battery

SURVIVES.

- Impact Resistant Design
- Designed for Outdoor Use
- Protected Against Dust & Splashing Water on DC Mode







M18

M12 LED STAND LIGHT

M12 SAL

MORE PORTABLE. ALL-DAY OPERATION

ADAPTS.


- Powered By M12 Battery
- Sets Up In Under 5 Seconds With Over 1.5m Of Extension
 - Collapsed Height: 78cm
 - Extended Height: 173cm
- Side Carry Handles for Easy Transport

PERFORMS.

- 1,400 Lumens of TRUEVIEW High Definition Output
- Up to 10 hours of Runtime
- Brighter than 250w Halogen

SURVIVES.

Impact Resistant Legs





HIGHER PERFORMANCE, **MORE FEATURES**

ADAPTS.

- 5 second setup, 2.1m extension
- AC Plug-in for Integrated M18[™] Charger
- 2.1Amp USB out to charge devices
- Carry rail for better comfort while transporting light
- Updated bag design for transportation and storage

PERFORMS.

- 6,000 Lumens of Multi-Directional Light
- Up to 10 hours of runtime on M18 8.0Ah battery
- 3 Modes to Manage Output and Run-time

SURVIVES.

- Impact Resistant, Reinforced Legs
- Outdoor Rated







HANDHELD

TASK

AREA

SPECIALTY

M18 LED STAND LIGHT

M18 SAL

BRIGHTER, TALLER, TOUGHER STAND LIGHT

ADAPTS.


- Adjustable Head: Rotates 230° Vertically, Pivots 240° Horizontally
- 5 Second Setup, 2.2m Extension
- Collapses Down to 1.1m for Easy Transport and Storage
- 3 Light Output Modes

PERFORMS.

2,000 Lumens of High Definition Output

SURVIVES.

- Impact Resistant, Reinforced Legs
- Protective Guard: Secures Head and Lens **During Transport and Storage**
- IP54 Rated: Waterproof and Dustproof









REDLITHIUM™ USB NECK LIGHT

L4 NL400

HANDS FREE TASK LIGHTING, **FULL ILLUMINATION**

ADAPTS.

- 130° of Vertical Rotation for Complete Light Head
- Ergonomic, Sweat Resistant Band for Increased Comfort

PERFORMS.

- 400 Lumens of TRUEVIEWTM High-Definition Output
- 2 Modes to Manage Output and Run-Time
- Up to 8 hours of Run-Time on (1) RLUSB 3.0 Battery*

SURVIVES.

- Resistance to Most Chemicals Found in Auto Body Shops
- Impact Rated
- Limited Lifetime Warranty







LITHIUM USB

M18 LED REMOTE STAND LIGHT

M18 ONERSAL

UNMATCHED PERFORMANCE, ALL DAY RUNTIME

ADAPTS.

- Adjust to Heights of up to 165cm in 7 seconds
- Collapses to 55cm
- Multiple Leg Orientations

PERFORMS.


- 5400 Lumens of High Quality light
- Up to 26 hours of Runtime (w/ 2 x 9.0Ah)
- Dual Battery Design

SURVIVES.

- IP67 Rated: Waterproof
- Reinforced Leg Design











REDLITHIUM™ USB STICK LIGHT W/ MAGNET L4 SL550

UNMATCHED UTILITY FOR LIGHTING IN TIGHT SPACES

ADAPTS.

- Light Head Rotations:
 - 220° Vertical
- Inspection Light for MPI's and Assessment
- Magnetic Base and Hook
- Magnetic Charging Dock with Contact Pins


PERFORMS.

- 550 Lumens of TRUEVIEWTM High-Definition Output
- 4 Modes to Manage Output and Run-Time
- One or Both Panel Option and Inspection Light
- 2 Hours of Run-Time on High on (1) RLUSB 3.0 Battery

SURVIVES.

Resistance to Most Chemicals Found in Auto Shops











LITHIUM USB



PERSONAL

HANDHELD

TASK

SPECIALTY

M12 PAINT AND DETAILING COLOR MATCH LIGHT

M12 CML

SUPERIOR LED COLOR QUALITY & RUN-TIME

ADAPTS.


- 5 Color Temperatures for the Full Spectrum of Sunlight
- Ergonomic Design for Handheld Maneuverability
- Magnet for Storage

PERFORMS.

- 98+ CRI to Replicate Natural Sunlight
- 1000 Lumens to Illuminate Metallics in Paint and Identify Scratches
- Up to 14 hours of Run-time on (1) M12 REDLITHIUMTM 4.0 Battery
- 3 Modes to Manage Output and Run-time

SURVIVES.

- Resistance to Most Chemicals Found in Auto Body Shops
- IP54 Ingress Protection
- Drop Rated to Heights of 6ft









NEW

M12 LED UNDERHOOD LIGHT

M12 UHL

SHINES BRIGHTER. **GRIPS STRONGER.** PROTECTS LONGER.

ADAPTS.

AREA


- FINISHGUARD Hooks for Mounting to Car Hoods and Protecting Against Scratches
- Rotates and Slides for Optimal Light Placement
- Detachable from Mounting Hooks for Maximum Versatility
- Stainless Steel Hook for Hanging
- 2 Light Output Modes

PERFORMS.

1350 Lumens of High Definition Output

SURVIVES.

- Impact and Chemical Resistant
- IP54 Rated: Waterproof and Dustproof







HANG



REMOVE



M12 UNDERCARRIAGE LIGHT

M12 UCI

UNMATCHED MANEUVERABILITY AND HANDS-FREE LIGHTING

ADAPTS.


- Advanced Optics Provide Full Light Coverage
- Dual Joints Swivel 300° Horizontally and 180° Vertically
- Magnetic Base for Mounting & 30cm Magnetic Storage Tray to Hold Nuts & Bolts.

PERFORMS.

- 1200 Lumens of TRUEVIEW™ High-Definition Output
- 3 Modes to Manage Output and Run-time
- Over 15 Hours of Run-time on one 4.0Ah M12™ Battery

SURVIVES.

- Resistance to Most Common Chemicals Found in Auto Shops.
- Withstands Drops up to 1.8 Meters

















M18 LED UTILITY LIGHT

M18 UBL

INDUSTRY'S FIRST UTILITY BUCKET LIGHT

ADAPTS.

- Dual Light Head Design With 180° of Vertical and Horizontal
- Each Light Head is Operated Independently for Maximum
- Spring-Loaded Clamp Optimized for Utility Buckets
- 3 Light Output Modes: Spot, Flood, Spot/Flood

PERFORMS.

- 2,500 Lumens of High Definition Output
- Over 450m Beam Distance

SURVIVES.

- IP56 Rated: Waterproof and Dustproof
- Extreme Weather Use and High Voltage Tested











25