

# Milwaukee™

## PERSONAL SAFETY



STAY **SAFE.**  
STAY **PRODUCTIVE.**







Milwaukee Tool has taken the time to understand users' needs and develop personal protective equipment from the ground up, delivering hard hats that allow users to adapt to each job and safety glasses that can be worn all day with lasting fog-free lenses. Milwaukee Tool is focused on creating innovative PPE solutions that won't slow users down, helping them STAY SAFE. STAY PRODUCTIVE.



## HARD HATS

# ADAPT TO YOUR JOBSITE



**BOLT**  
HARD HAT ACCESSORIES

**BOLT Reversible Headlamp Mount**

**6 Accessory Slots**

**Ratcheting Suspension**

**Temperature Reducing Vents**  
On vented hard hats only

**BOLT Reversible Headlamp Mount**

- Securely holds MILWAUKEE and most other professional brand headlamps
- Mounts to front or back

**Quick-Adjust Ratcheting Suspension**

**4-Point Padded Suspension**



**Large Sun-Blocking Brim**

**Moisture Wicking Sweat Band**

**BOLT Marker Clip**  
Securely holds a marker or pencil

**6 Accessory Slots**

- 4 BOLT Accessory Slots
- 2 Universal Slots

**ALSO AVAILABLE**



Front Brim Hard Hat

ANSI/ISEA Z89.1

CSA Z94.1

**TYPE I CLASS C**

ANSI/ISEA Z89.1

CSA Z94.1

**TYPE I CLASS E**

## HARD HATS

Description	Large Logo	Small Logo
Full Brim Vented Hard Hat – Type I Class C	48-73-1010	48-73-1011
Full Brim Hard Hat – Type I Class E	48-73-1030	48-73-1031
Front Brim Vented Hard Hat – Type I Class C	48-73-1000	48-73-1001
Front Brim Hard Hat – Type I Class E	48-73-1020	48-73-1021

## HARD HAT ACCESSORIES

MET Part #	Description
48-73-1080	Hard Hat Sweat Band
48-73-1082	Hard Hat Chin Strap
48-73-1085	BOLT Hard Hat Marker Clip
48-73-1090	BOLT Hard Hat Headlamp Mount
48-73-1095	4-Point Ratchet Suspension Replacement

\*Headlamp and marker not included.  
\*\*Compatible with all hardhat types and sizes from major manufacturers (not designed for non-hard hat use)



## HIGH VISIBILITY PERFORMANCE SAFETY VESTS

**CARRY MORE.  
REINFORCED POCKETS.**



**15 Pockets**

**Reinforced Front Pockets**

**Comfortable Padded Collar**

### 15 Pockets

#### External:

- 2 Mic Tabs
- 1 Clear ID Holder
- 2 Chest Pockets
- 4 Reinforced Pen Pockets
- 2 Reinforced Barrel Pockets
- 1 Tablet Pocket

#### Internal:

- 1 Chest Pocket
- 2 Barrel Pockets

ANSI/ISEA 107-15

**TYPE R CLASS 2**

CSA Z96-15

**CLASS 2**



Size	Yellow – ANSI/CSA	Orange – ANSI/CSA
S/M	48-73-5081	48-73-5091
L/XL	48-73-5082	48-73-5092
XXL/XXXL	48-73-5083	48-73-5093

## HIGH VISIBILITY SAFETY VESTS

**CARRY MORE**

### 10 Pockets

#### External:

- 2 Mic Tabs
- 1 Clear ID Holder
- 2 Chest Pockets
- 4 Reinforced Pen Pockets

#### Internal:

- 1 Chest Pocket

ANSI/ISEA 107-15


**TYPE R CLASS 2**

CSA Z96-15

**CLASS 2**

**Secure Zippered Closure**

**Internal Size Adjustment**



Size	Yellow – ANSI/CSA	Orange – ANSI/CSA
S/M	48-73-5061	48-73-5071
L/XL	48-73-5062	48-73-5072
XXL/XXXL	48-73-5063	48-73-5073


## PERFORMANCE SAFETY GLASSES WITH GASKET

**ADVANCED PROTECTION.  
GREAT PERFORMANCE.**



**Removable Gasket Protects Against Debris**

**Military Grade Impact Protection**



#### Case Included

ANSI	CSA	MIL-PRF-32432A
<b>Z87.1+</b>	<b>Z94.3</b>	<b>BALLISTIC IMPACT FRAGMENTATION - CLASS 1</b>

Lens Color	Packaging Style – Blister Card
Polarized	48-73-2045A
Clear	48-73-2040A

**ALSO AVAILABLE**



**Clear Performance Safety Glasses with Gasket**

## PERFORMANCE SAFETY GLASSES

**HIGH IMPACT  
FOG-FREE LENSES**



**Military Grade Impact Protection**  
Withstands projectile shot at 220m/sec

**ALSO AVAILABLE**



**Clear Performance Safety Glasses**

ANSI	CSA	MIL-PRF-32432A
<b>Z87.1+</b>	<b>Z94.3</b>	<b>BALLISTIC IMPACT FRAGMENTATION - CLASS 1</b>

Lens Color	Packaging Style – Blister Card
Tinted	48-73-2025A
Clear	48-73-2020A

## SAFETY GLASSES

**ANTI-FOG  
ANTI-SCRATCH**



**ALSO AVAILABLE**



**Clear Safety Glasses**

ANSI	CSA
<b>Z87.1+</b>	<b>Z94.3</b>

Lens Color	Packaging Style – Blister Card
Tinted	48-73-2005A
Clear	48-73-2000A



# N95 VALVED RESPIRATORS

**STAY COOL.  
GREAT FIT.**

**Comfortable Tight Sealing Gasket**

**Valve Reduces Heat by 5°C**

**Adjustable Straps**



**NIOSH  
N95**

## N95 VALVED RESPIRATOR WITH GASKET

MET Part #	Description
48-73-4001	N95 Valved Respirator with Gasket
48-73-4002	3 Pk N95 Valved Respirator with Gasket
48-73-4004	10 Pk N95 Valved Respirator with Gasket

## N95 VALVED RESPIRATOR

MET Part #	Description
48-73-4011	N95 Valved Respirator
48-73-4012	3 Pk N95 Valved Respirator
48-73-4014	10 Pk N95 Valved Respirator

**ALSO AVAILABLE**

N95 Valved Respirator

## REUSABLE CORDED EAR PLUGS

**ALL DAY COMFORT**




**NRR  
26**

MET Part #	Description
48-73-3151	3 Pk Reusable Corded Ear Plugs

## EAR PLUGS

**ALL DAY COMFORT**



**NRR  
32**

MET Part #	Description
48-73-3001	10 Pair Ear Plugs
48-73-3005	100 Pair Ear Plugs
48-73-3006	100 Pair Ear Plugs (Individually Wrapped)

# CUT RESISTANT GLOVES

**CUT PROTECTION**

**MADE UP OF:**

- ABRASION
- CUT RESISTANCE
- TEAR
- PUNCTURE

**SUFFER HAND INJURIES WERE NOT WEARING GLOVES AND WEARING THE WRONG KIND OF GLOVES ARE TOO COMMON**

## NITRILE DIPPED GLOVES

**HIGH DURABILITY.  
ALL DAY COMFORT.**



Available in Cut Levels:

**A1** **A3** **A5**

1 Pair	Size
48-22-8900	S
48-22-8901	M
48-22-8902	L
48-22-8903	XL
48-22-8904	XXL
48-22-8930	S
48-22-8931	M
48-22-8932	L
48-22-8933	XL
48-22-8934	XXL
48-22-8950	S
48-22-8951	M
48-22-8952	L
48-22-8953	XL
48-22-8954	XXL

## HIGH VISIBILITY POLYURETHANE DIPPED GLOVES

**BETTER FIT.  
BETTER PROTECTION.**

**NEW**



Available in Cut Levels:

**A2** **A3** **A4**

1 Pair	Size
48-73-8920	S
48-73-8921	M
48-73-8922	L
48-73-8923	XL
48-73-8924	XXL
48-73-8930	S
48-73-8931	M
48-73-8932	L
48-73-8933	XL
48-73-8934	XXL
48-73-8940	S
48-73-8941	M
48-73-8942	L
48-73-8943	XL
48-73-8944	XXL

## INSULATED WINTER GLOVES

**HIGH WARMTH.  
ALL DAY COMFORT.**



Available in Cut Levels:

**A1** **A3**

1 Pair	Size
48-22-8910	S
48-22-8911	M
48-22-8912	L
48-22-8913	XL
48-22-8914	XXL
48-22-8920	S
48-22-8921	M
48-22-8922	L
48-22-8923	XL
48-22-8924	XXL

	Cut Level 1 Nitrile Dipped	Cut Level 3 Nitrile Dipped	Cut Level 5 Nitrile Dipped	High Visibility Cut Level 2 PU Dipped	High Visibility Cut Level 3 PU Dipped	High Visibility Cut Level 4 PU Dipped	Cut Level 1 Insulated Winter	Cut Level 3 Insulated Winter
Gauge	13	15	13	15	15	13	15 (OUTER) 10 (INNER)	15 (OUTER) 7 (INNER)
Cut Resistant	A1	A3, HPPE	A5, HPPE	A2, HPPE	A3, HPPE	A4, HPPE	A1	A3, HPPE
SMARTSWIPE™	✓	✓	✓	✓	✓	✓		
EN Rating	EN388: 3121A	EN388: 4343C	EN388: 4X44E	EN388: 3242B	EN388: 4342C	EN388: 4X43D	EN511: 01X EN388: 1141A	EN511: 02X EN388: 2442C
Insulation							✓	✓
Thumb Reinforcement				✓	✓	✓		



# WORK GLOVES

## FREE-FLEX GLOVES

**HIGH DURABILITY.  
ALL DAY COMFORT.**



SMARTSWIPE Touch Screen Compatible Knuckle

High Dexterity Finger Tips

Terry Cloth Sweat Wipe

Breathable Lining

Reinforced Thumb Seam

Free-Flex Elastic Cuff

MET Part #	Size
48-22-8715	S
48-22-8711	M
48-22-8712	L
48-22-8713	XL
48-22-8714	XXL

## PERFORMANCE GLOVES

**HIGH DURABILITY.  
ALL DAY COMFORT.**



SMARTSWIPE Touch Screen Compatible Knuckle

High Dexterity Finger Tips

Reinforced Thumb Seam

Secure Hook & Loop Closure

Terry Cloth Sweat Wipe

Breathable Lining

ALSO AVAILABLE Performance Fingerless Gloves

MET Part #	Size
48-22-8725	S
48-22-8721	M
48-22-8722	L
48-22-8723	XL
48-22-8724	XXL
48-22-8745	S
48-22-8741	M
48-22-8742	L
48-22-8743	XL
48-22-8744	XXL

## GOATSKIN LEATHER GLOVES

**NEW**

**COMFORTABLE LEATHER.  
REINFORCED PALM.**



SMARTSWIPE Touch Screen Compatible Knuckle

Gunn Cut Construction Added mobility

Reinforced Palm Lasts Longer

Keystone Thumb Comfortable Fit

Soft Top Grain Goatskin Leather

MET Part #	Size
48-73-0010D	S
48-73-0011D	M
48-73-0012D	L
48-73-0013D	XL
48-73-0014D	XXL

## DEMOLITION WORK GLOVES

**LONG LIFE**



ARMORTEX® Reinforced Thumb, Fingers and Padded Palm

Breathable Lining & Mesh Backer

Secure Hook & Loop Closure

SMARTSWIPE Touch Screen Compatible Knuckle

TPR Knuckle Protection

Terry Cloth Sweat Wipe

MET Part #	Size
48-22-8735	S
48-22-8731	M
48-22-8732	L
48-22-8733	XL
48-22-8734	XXL

## WINTER DEMOLITION GLOVES

**ALL DAY WARMTH.  
REINFORCED DURABILITY.**



SMARTSWIPE Touch Screen Compatible Knuckle

40g Insulation

Waterproof & Wind Proof

Secure Hook & Loop Closure

Durable Reinforced Palm & Fingertips

ALSO AVAILABLE Winter Performance Gloves

MET Part #	Size
48-73-0040	S
48-73-0041	M
48-73-0042	L
48-73-0043	XL
48-73-0044	XXL
48-73-0030	S
48-73-0031	M
48-73-0032	L
48-73-0033	XL
48-73-0034	XXL

## IMPACT DEMOLITION GLOVES

**NEW**

**IMPACT PROTECTION.  
REINFORCED DURABILITY.**



Padded Palm Vibration dampening

Reinforced with ARMORTEX

Secure Hook & Loop Closure

Impact Rated Enhanced TPR

ANSI / ISEA 138 2

MET Part #	Size
48-22-8750	S
48-22-8751	M
48-22-8752	L
48-22-8753	XL
48-22-8754	XXL

## LEATHER PERFORMANCE GLOVES

**NEW**

**DURABLE PALM.  
LIGHTWEIGHT DESIGN**



Terry Cloth Sweat Wipe

Reinforced Leather Palm For Longer Life

Soft Top Grain Goatskin Leather

SMARTSWIPE Touch Screen Compactible knuckle

Breathable Back

Secure Hook & Loop Closure

MET Part #	Size
48-73-0020	S
48-73-0021	M
48-73-0022	L
48-73-0023	XL
48-73-0024	XXL

## IMPACT NITRILE DIPPED GLOVES

**NEW**

**IMPACT PROTECTION.  
HIGH DEXTERITY.**



SMARTSWIPE Touch Screen Compactible Fingertips

Reinforced Nitrile Coating

18 Gauge

Nitrile Coated

Color-Coded Bands

Impact Rated Enhanced TPR

ALSO AVAILABLE Impact Cut Level 5 Nitrile Dipped Gloves

ANSI CUT LEVEL A3

ANSI / ISEA 138 2

MET Part #	Size
48-22-8970	S
48-22-8971	M
48-22-8972	L
48-22-8973	XL
48-22-8974	XXL
48-22-8980	S
48-22-8981	M
48-22-8982	L
48-22-8983	XL
48-22-8984	XXL

## IMPACT GOATSKIN LEATHER GLOVES

**NEW**

**IMPACT PROTECTION.  
HIGH DEXTERITY.**



Impact Rated Enhanced TPR

Reinforced Leather Palm For Longer Life

Keystone Thumb Comfortable Fit

Soft Top Grain Goatskin Leather

ALSO AVAILABLE Impact Cut Level 5 Goatskin Leather Gloves

ANSI CUT LEVEL A3

ANSI / ISEA 138 2

MET Part #	Size
48-22-8770	S
48-22-8771	M
48-22-8772	L
48-22-8773	XL
48-22-8774	XXL
48-22-8780	S
48-22-8781	M
48-22-8782	L
48-22-8783	XL
48-22-8784	XXL

	Free-Flex	Performance Fingerless	Performance	Goatskin Leather	Demolition	Winter Performance	Winter Demolition	Impact Demolition	Leather Performance	Impact Cut Level Leather	Impact Cut Level Dipped
Closure	Elastic	Hook & Loop	Hook & Loop	Hook & Loop	Hook & Loop	Elastic	Hook & Loop	Hook & Loop	Hook & Loop		
SMARTSWIPE™	✓		✓	✓	✓	✓	✓		✓		✓
Reinforced Palm		✓		✓	✓		✓	✓	✓	✓	✓
Knuckle Reinforcement					✓		✓	✓			
Insulation						✓	✓				
Impact Resistant								2		2	2
Cut Resistant										A3, A5, HPPE	A3, A5, HPPE
Gauge											18
EN Rating										A3- EN388: 2342CP, A5- EN388: 3X43EP	A3- EN388: 4342CP, A5- EN388: 4X44EP



# LANYARDS



**PREVENT POSSIBLE INJURY FROM A DROPPED TOOL**



**SAVE TIME FROM HAVING TO GET BACK TO GROUND LEVEL TO RETRIEVE THE PIECE THAT FELL**

**Tethering tools when working at height reduces risk of injuries**

## LOCKING TOOL LANYARDS

**GREAT SHOCK ABSORPTION**



**Double Locking Carabiner**



**Integrated Swivel**



**ANSI/ISEA 121-18**

MET Part #	Weight Rating	Length	Description	MET Part #	Weight Rating	Length	Description
48-22-8810A	4.5 kg	0.91m	4.5 kg Locking Tool Lanyard	48-22-8811A	4.5 kg	1.37m	10LBS 54"(4.5kg 1.37m) Extended Reach Locking Tool Lanyard
48-22-8815A	6.8 kg	0.91m	6.8 kg Locking Tool Lanyard	48-22-8812	4.5 kg	1.82m	10LBS 72"(4.5kg 1.82m) Extended Reach Locking Tool Lanyard (new)
48-22-8850A	15 kg	0.91m	15 kg Locking Tool Lanyard	48-22-8816	6.8 kg	1.37m	15LBS 54"(6.8kg 1.37m) Extended Reach Locking Tool Lanyard (new)
				48-22-8817	6.8 kg	1.82m	15LBS 72"(6.8kg 1.82m) Extended Reach Locking Tool Lanyard (new)

## QUICK-CONNECT LOCKING TOOL LANYARD SYSTEM

**GREAT SHOCK ABSORPTION**

**QUICK-CONNECT LANYARD SYSTEM**



**ANSI/ISEA 121-18**

MET Part #	Weight Rating	Length	Description
48-22-8820A	4.5 kg	0.91m	4.5 kg Quick-Connect Locking Tool Lanyard
48-22-8822A	2.2 kg	-	3 pc 2.2 kg Small Quick-Connect Accessory
48-22-8823A	4.5 kg	-	3 pc 4.5 kg Quick-Connect Accessory

## ANCHOR STRAP

**TETHER MORE TOOLS, MORE PLACES**



**Wraps Around Rails and Beams**


**ANSI/ISEA 121-18**

MET Part #	Weight Rating	Description
48-22-8855	22.7 kg	50LBS (22.7kg) Anchor Strap (new)

## WRIST LANYARDS

**ALL DAY COMFORT**

**QUICK-CONNECT LANYARD SYSTEM**



**ALSO AVAILABLE**



**Wrist Lanyard**

**ANSI/ISEA 121-18**

MET Part #	Weight Rating	Description
48-22-8830	2.2 kg	5LBS (2.2kg) Wrist Lanyard (new)
48-22-8835	2.2 kg	5LBS (2.2kg) Quick-Connect Wrist Lanyard (new)





## MILWAUKEE TOOL

Milwaukee Electric Tool Corporation  
BROOKFIELD, WI 53005  
USA

Tel: +1 (262) 781-3600 • Fax: +1 (262) 790-6333

Milwaukee Asia Office

29/F, Tower 2, Kowloon Commerce Centre,  
51 Kwai Cheong Road, Kwai Chung, Hong Kong

Tel: +852-2492-2181 • Fax: +852-2490-4778

Distributed by:

01/07/2020

All data incl. service and warranty conditions as well as product range are subject to change without notice.  
Pictures not binding. No liability for printing errors or mistakes. Copyright 2020 – Milwaukee Electric Tool Corporation

[www.milwaukeetool.asia](http://www.milwaukeetool.asia)